



```
| Variable_name | Value |
+-----+-----+
| sql_mode      | ERROR_FOR_DIVISION_BY_ZERO,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION |
+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> show variables like 'sql_mode';
```

```
| Variable_name | Value |
+-----+-----+
| sql_mode      | ERROR_FOR_DIVISION_BY_ZERO,NO_AUTO_CREATE_USER,NO_ENGINE_SUBSTITUTION |
+-----+-----+
1 row in set (0.00 sec)
```

```
mysql> INSERT INTO `benevalo` ( `actor_id`, `qualification`, `date`, `elapsed_time`, `costs`, `description`, `project`, `admin_info` ) VALUES ( '592', '2', '2019-11-04', '3480', '', 'test', 'Divers', '' );
Query OK, 1 row affected, 1 warning (0.00 sec)
```

```
mysql>
```

#### **#5 - 31/01/2020 17:40 - Quentin Gibeaux**

- Statut changé de Résolu à Fermé

#### **#6 - 02/09/2021 16:49 - Christian P. Momon**

- Lié à Demande #5576: Migrer dtc sur Bullseye ajouté