Admins - Demande #3962

Demande # 3799 (Fermé): Migrer le parc des machines et VM vers Debian Buster

Migrer vers Debian Buster la pm galanga

21/10/2019 11:50 - Christian P. Momon

Statut: Début: Fermé 21/10/2019 Priorité: Echéance: Normale % réalisé: 100% Assigné à: Quentin Gibeaux Catégorie: Temps estimé: 0.00 heure Version cible: Temps passé: 0.00 heure Backlog Difficulté: 2 Facile

Description

Ticket de suivi de la migration du SI April vers Debian Buster (#3799).

Demandes liées:

Lié à Admins - Demande #5564: Migrer Galanga sur Bullseye Fermé 02/09/2021

Historique

#1 - 03/11/2019 14:47 - Quentin Gibeaux

- Statut changé de Nouveau à Résolu
- Assigné à mis à Quentin Gibeaux
- % réalisé changé de 0 à 100

maj faite, ras

#2 - 03/11/2019 15:06 - Quentin Gibeaux

problème nrpe :

CHECK_NRPE: (ssl_err != 5) Error - Could not complete SSL handshake with 127.0.0.1: 1

réglé comme suit :

```
1868 Sun 03 Nov 2019 03:03:18 PM CET apt-mark unhold nagios-nrpe-server
1869 Sun 03 Nov 2019 03:03:29 PM CET apt dist-upgrade
1870 Sun 03 Nov 2019 03:04:09 PM CET systemctl restart nagios-nrpe-server.service
```

#3 - 03/11/2019 15:22 - Quentin Gibeaux

- Statut changé de Résolu à En cours de traitement
- % réalisé changé de 100 à 90

il y a des choses cassées sur nagios-nrpe-server

#4 - 04/11/2019 10:41 - Quentin Gibeaux

backuppc n'arrive plus à pinger "localhost", résolu en ajoutant (proposé dans le ufc-dist) :

```
diff --git a/backuppc/config.pl b/backuppc/config.pl
index b67acf3..c87fa6c 100644
--- a/backuppc/config.pl
+++ b/backuppc/config.pl
@@ -1671,6 +1671,7 @@ $Conf{FixedIPNetBiosNameCheck} = 0;
# $Conf{PingPath} = '/bin/echo';
#
$Conf{PingPath} = '/bin/ping';
+$Conf{Ping6Path} = '/bin/ping6';
```

#5 - 23/11/2019 12:03 - François Poulain

27/04/2024 1/3

Effectivement c'est curieux.

```
# sudo -u backuppc ping localhost
PING localhost (localhost (::1)) 56 data bytes
64 bytes from localhost (::1): icmp_seq=1 ttl=64 time=0.023 ms

(April) root@galanga:~# getent hosts localhost
::1 localhost ip6-localhost ip6-loopback

(April) root@galanga:~# cat /etc/hosts
127.0.0.1 localhost
88.191.250.11 galanga.april.org galanga
10.0.0.1 icinga2.chapril.org icinga2
# The following lines are desirable for IPv6 capable hosts
::1 localhost ip6-localhost ip6-loopback
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
```

#6 - 23/11/2019 12:06 - François Poulain

Beh c'est pas spécifique en fait.

```
$ ./scripts/do+local.sh getent hosts localhost
==== bastion =====
              localhost ip6-localhost ip6-loopback
Connection to vip.april.org closed.
===== admin =====
              localhost ip6-localhost ip6-loopback
Connection to admin.cluster.april.org closed.
==== dns =====
              localhost ip6-localhost ip6-loopback
Connection to dns.cluster.april.org closed.
===== mail =====
              localhost ip6-localhost ip6-loopback
Connection to mail.cluster.april.org closed.
==== sympa =====
              localhost ip6-localhost ip6-loopback
Connection to sympa.cluster.april.org closed.
==== adl =====
             localhost ip6-localhost ip6-loopback
Connection to adl.cluster.april.org closed.
===== lamp =====
              localhost ip6-localhost ip6-loopback
Connection to lamp.cluster.april.org closed.
===== agir =====
              localhost ip6-localhost ip6-loopback
::1
Connection to agir.cluster.april.org closed.
==== bots =====
             localhost ip6-localhost ip6-loopback
Connection to bots.cluster.april.org closed.
              localhost ip6-localhost ip6-loopback
::1
Connection to dtc.cluster.april.org closed.
==== drupal6 =====
              localhost ip6-localhost ip6-loopback
::1
Connection to drupal6.cluster.april.org closed.
===== drupal-test =====
             localhost ip6-localhost ip6-loopback
Connection to drupal-test.cluster.april.org closed.
==== republique-numerique =====
              localhost ip6-localhost ip6-loopback
::1
Connection to republique-numerique.cluster.april.org closed.
===== mumble =====
              localhost ip6-localhost ip6-loopback
::1
Connection to mumble.cluster.april.org closed.
==== candidatsbe =====
        localhost ip6-localhost ip6-loopback
Connection to candidatsbe.cluster.april.org closed.
==== candidatsfr =====
              localhost ip6-localhost ip6-loopback
Connection to candidatsfr.cluster.april.org closed.
::1
              localhost ip6-localhost ip6-loopback
Connection to pad.cluster.april.org closed.
==== scm =====
```

27/04/2024 2/3

```
localhost ip6-localhost ip6-loopback
Connection to scm.cluster.april.org closed.
==== pouet ====
::1
              localhost ip6-localhost ip6-loopback
Connection to pouet.cluster.april.org closed.
==== webchat =====
              localhost ip6-localhost ip6-loopback
Connection to webchat.cluster.april.org closed.
==== photos =====
              localhost ip6-localhost ip6-loopback
Connection to photos.cluster.april.org closed.
==== cms-dev =====
::1
              localhost ip6-localhost ip6-loopback
Connection to cms-dev.cluster.april.org closed.
===== virola.april.org =====
::1
             localhost ip6-localhost ip6-loopback
Connection to virola.april.org closed.
===== calamus.april.org =====
               localhost ip6-localhost ip6-loopback
Connection to calamus.april.org closed.
===== galanga.april.org =====
              localhost ip6-localhost ip6-loopback
Connection to galanga.april.org closed.
===== guarana.april.org =====
::1 localhost ip6-localhost ip6-loopback
Connection to guarana.april.org closed.
```

Le fix backuppc me convient. :)

#7 - 23/11/2019 12:08 - François Poulain

- Statut changé de En cours de traitement à Résolu
- % réalisé changé de 90 à 100

Et depuis la migration initiale, j'ai corrigé la conf NRPE. Donc le ticket est fermable.

#8 - 31/01/2020 17:41 - Quentin Gibeaux

- Statut changé de Résolu à Fermé

#9 - 02/09/2021 16:52 - Christian P. Momon

- Lié à Demande #5564: Migrer Galanga sur Bullseye ajouté

27/04/2024 3/3